

(Easier) Practice Quiz 7 Calc 3 11/15/2005

1. Parametrize and give bounds for the portion of the paraboloid $f(x,y) = 9 - x^2 - y^2$ which lies above the rectangle in the xy -plane with vertices at the origin, $(1,0)$, $(1,2)$, and $(0,2)$.

2. Parametrize and give bounds for the rectangle in the plane $z = 0$ with vertices $(0,0,0)$, $(10,0,0)$, $(10,3,0)$, and $(0,3,0)$.

3. Parametrize and give bounds for the cylinder centered on the z -axis with radius 5 and between the planes $z = 2$ and $z = 8$.

4. Let $\mathbf{F}(x, y, z) = \langle 2x, -z, y \rangle$, and let S be the surface from problem 2 with upward orientation. Evaluate $\iint_S \mathbf{F} \cdot d\mathbf{S}$.

(Harder) Practice Quiz 7 Calc 3 11/15/2005

1. Parametrize and give bounds for the portion of the paraboloid $f(y,z) = 9 - y^2 - z^2$ which lies inside the cylinder $y^2 + z^2 = 9$.

2. Parametrize and give bounds for the parallelogram with vertices $(0,0,0)$, $(10,0,0)$, $(10,3,0)$, and $(0,3,0)$. [Yeah, it's a duplicate of the Easier problem. I'm lame.]

3. Parametrize and give bounds for the cylinder centered on the x -axis with radius R and between the planes $x = x_1$ and $x = x_2$. [Notice the change in the problem from the printed version – it makes more sense this way, and this is what I intended in the first place].

4. Let $\mathbf{F}(x, y, z) = \langle 2x, -z, y \rangle$, and let S be the surface from problem 3 with outward orientation. Evaluate $\iint_S \mathbf{F} \cdot d\mathbf{S}$.