## Examlet 2a Foundations of Advanced Math 3/1/13

1. For any sets A, B, and C,  $A \cup (B \cap C) \subseteq A \cup B$ .

2. Suppose that  $a, b, c \in \mathbb{R}$ . If c < 0 and a < b, then  $a \cdot c > b \cdot c$ .

- 3. Let  $\mathbb{R}^+ = \{x \mid x \in \mathbb{R} \text{ and } x > 0\}$ . For each  $x \in \mathbb{R}^+$ , let  $A_x = [0, x)$ .
  - a) What is  $\bigcap_{x \in \{1,2,3\}} A_x$ ?

b) What is  $\bigcup_{x \in \{1,2,3\}} A_x$ ?

c) What is  $\bigcap_{x \in \mathbb{R}^+} A_x$ ?

d) What is  $\bigcup_{x \in \mathbb{R}^+} A_x$ ?

- 4. Suppose *I* is a set and for each  $i \in I$ ,  $A_i$  and  $B_i$  are sets, and that there is some  $i \in I$  for which  $A_i \subseteq B_i$ .
  - a) Is it true that  $\bigcup_{i\in I}A_i\subseteq\bigcup_{i\in I}B_i$ ? Support your answer.

b) Is it true that  $\bigcap_{i \in I} A_i \subseteq \bigcap_{i \in I} B_i$ ? Support your answer.

5.  $\forall x \in \mathbb{R}, -|x| \le x \le |x|$ .